



PRIZOR VIZTECH LIMITED

PZT4KFL-50FAS



50"

KEY FEATURES

- ◆ PRIZOR ANDROID SMART TV 50 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: ANDROID TV 9.0
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 50 INCH 126 CM
- ◆ ROM-16 GB & RAM - 2GB
- ◆ 4K RESOLUTION SUPPORTED



1800-123-3699  www.prizor.in





PRIZOR VIZTECH LIMITED

PZT4KFL-50FAS

SPECIFICATIONS

MODEL		PZT4KFL-50FAS
Screen Size		126 cm
Resolution		UHD-3840*2160
Aspect Ratio		16:9
Contrast Ratio		20,00,000:1
Open Cell		BOE/LG
BLU		100W
Android Features		
Solution		MLOGIC/T972
Main Board		Android 9.0
CPU		A55 / 1.9GHz (Quad core)
CPU FREQ.		1.9GHz
GPU		Mali-G31 MP2
GPU FREQ.		800MHz
ROM		16GB
RAM		2GB
LAN		RJ-45
Wi-Fi		2.4 GHz
I/O Ports	Qty	
AV IN	2	RCA
Optical - out	1	Optical
USB	2	V-2.0
HDMI	3	Standard
EarPhone	1	3.5 mm socket
RF IN (Optional)	1	75 ohms
Wi-Fi	Yes	2.4GHz
LAN	Yes	RJ - 45
FEATURES		
Brightness		> 350 nits
ViewingAngle		178° (H) / 178° (V)
Response Time		6.5ms
Main Board		3in1 Board
Sound O/p		2*8W, 8 Ohm
Speaker		34*94 - 8E/10W Box SPK
Preload Apps		Yes
Miracast / MaxHub/Eshare		Yes
Bluetooth Support		External device (Optional)
Voice command support (limited)		External device (Optional)





PRIZOR VIZTECH LIMITED

PZT4KFL-50FAS

SPECIFICATIONS

MODEL		PZT4KFL-50FAS	
OSD Language		English	
Video Input – TV			
Video System		PAL	
Sound System		BG, DK, I	
Storage Channel		99	
Video Input - CBVS			
Color System		PAL, SECAM	
Video		1Vp-p @75 Ohm ±5%	
Audio		500mV RMS	
Video Input - PC-RGB			
Sync			
Video		0.7Vp-p @ 75Ohm	
Resolution		Up to 3840*2160@60Hz	
Sync		H:30-75KHz, V:56-75Hz	
Video		0.7Vp-p @ 75Ohm	
Resolution		Up to 3840*2160@60Hz	
Video Input - HDMI			
Video		Standard TDMS format	
Resolution		480i, 480p, 576i, 576p, 720p,1080i,1080p,2160p/i	
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.265	
		MPEG-2, MPEG-4, H.265	
		MPEG-2, H.265	
		MPEG-2, H.264	
		H.265/HEVC/MPEG-4- FPS-30	
	.mpg	MPEG-2, H.265	MP2
	.dat	MPEG-1	
	.vob	MPEG-2	
.rm/.rmvb	RV8, RV9, RV10	COOK	
Music	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resulation 1024*768
		Baseline JPEG	Max Resulation 1920*1080
	.bmp		Max Resulation 15360*8640
	.png	Non-Interlaced	Max Resulation 4000*4000





PRIZOR VIZTECH LIMITED

PZT4KFL-50FAS

SPECIFICATIONS

MODEL		PZT4KFL-50FAS
Input Electrical Specifications		
Voltage		100~240V AC
Current		2.0A max
Frequency		50Hz/60Hz $\pm$ 5%
Inrush Current (Cold Start)		70A type peak, 230V ac
Efficiency (full load)		80% (full load with 230Vac)
Leakage Current		Less than 0.5mA, 230Vac input
Standby Power Loss		< 0.5W 230Vac input and no load
Input Fuse		T5.1AH/250Vac
Output Electrical Specifications		
Max Power Consumption		< 140 watt
Net Weight		12.6 Kgs (Approx.)
Gross weight		21 kg (approx.)
Net Dimension(mm)		1227 x 710 x 80
Gross Dimension(mm)		1340 x 810 x 160

