



PRIZOR VIZTECH LIMITED

PZT4KFL-75FAS



75"

KEY FEATURES

- ◆ PRIZOR ANDROID SMART TV 75 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: ANDROID TV 9.0
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 75 INCH 191 CM
- ◆ ROM-8/16 GB & RAM – 1.5 GB
- ◆ 4K RESOLUTION SUPPORTED



1800-123-3699  www.prizor.in





PRIZOR VIZTECH LIMITED

PZT4KFL-75FAS

SPECIFICATIONS

MODEL		PZT4KFL-75FAS
Screen Size		191 cm
Screen Type with resolution		UHD-3840*2160
Aspect Ratio		16:9
Contrast Ratio		20,00,000:1
Open Cell		AUO
Android Features		
Solution		HK-RT2851
Main Board		Android 9.0 (AOSP)
CPU		ARM cortex -A55*4
CPU FREQ.		1.1GHz
GPU		Mali-470*3
GPU FREQ.		600MHz
ROM		8GB/16GB
RAM		1.5 GB
LAN		RJ-45
Wi-Fi		2.4 GHz
I/O Ports	Qty	
AV IN	1	RCA
Optical - out	1	Optical
USB	2	V-2.0
HDMI	3	Standard
Ear Phone	1	3.5 mm socket
RF IN (Optional)	1	75 ohms
Wi-Fi	Yes	2.4GHz-802.11b/g/n
LAN	Yes	RJ - 45
FEATURES		
Brightness		> 250 nits
Viewing Angle		178° (H) / 178° (V)
Response Time		8.0 msec
Sound O/p		2x10W(8Ω) THD+N<10%
Speaker		30*70 - 8E/10W Box SPK
Preload Apps		Like: Netflix, Youtube, Hotstar, browser, etc with available with zesan app store.



SPECIFICATIONS

MODEL	PZT4KFL-75FAS		
Screen cast / Eshare /Maxhub share	Yes		
Voice Command Function (Selected)	External device (Optional)		
Bluetooth (1 way)	External device		
OSD Language	English		
Video Input – TV			
Video System	PAL		
Sound System	BG, DK, I		
Storage Channel	99+		
Video Input – CBVS			
Color System	PAL, SECAM		
Video	1Vp-p @ 75 Ohm ±5%		
Audio	500mVRMS		
Video Input - PC-RGB			
Sync	H:30-75KHz, V:56-75Hz		
Video	0.7Vp-p @ 75Ohm		
Resolution			
Video Input - HDMI			
Video	Standard TDMS format		
Resolution	480i, 480p, 576i, 576p, 720p,1080i,1080p,2160p/i		
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.265	
	.mp4	MPEG-2, MPEG-4, H.265	
	.ts/.tr	MPEG-2, H.265	
	.mkv/mov 4 K	MPEG-2, H.264	
		H.265/H.264/MPEG-4-FPS-30	
	.mpg	MPEG-2, H.265	MP2
	.dat	MPEG-1	
	.vob	MPEG-2	COOK
	.rm/.rmvb	RV8, RV9, RV10	
	.bmp		
	.png		



SPECIFICATIONS

MODEL		PZT4KFL-75FAS	
Music	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resulation 1024*768
		Baseline JPEG	Max Resulation 1920*1080
	.bmp		Max Resulation 15360*8640
	.png	Non-Interlaced	Max Resulation 4000*4000
Input Electrical Specifications			
Voltage		100~240V AC	
Current		2.0A max	
Frequency		50Hz/60Hz ±5%	
Inrush Current (Cold Start)		70A type peak,230V ac	
Efficiency (full load)		80% (full load with 230Vac)	
Leakage Current		Less than 0.5mA, 230Vac input	
Standby Power Loss		≤ 1.0W 230Vac input and no load	
Input Fuse		T5AH/250Vac	
Output Electrical Specifications			
Max Power Consumption		< 230 watt	
Stand-by Power Consumption		<0.50 W	
Net Weight		28.92Kgs (Approx.)	
Gross weight		38.50 kg (approx.)	
Net Dimension(mm)		(W)1685 X (H)970 X (D)70 + (20 wall mount)	
Gross Dimension(mm)		1830 x 1085 x 185	

