



PRIZOR VIZTECH LIMITED


PZTFHD-24N



24"

KEY FEATURES

- ◆ TV 24 INCH
- ◆ CONNECTIVITY: 2 HDMI & 1VGA AND 2 USB PORTS
- ◆ SOUND: 12 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ 1080P RESOLUTION SUPPORTED
- ◆ ATTRACTIVE PANNEL
- ◆ 24 INCH WITH 60 CM SCREEN



1800-123-3699



www.prizor.in



SPECIFICATIONS

Model	PZTFHD-24N	
Resolution		1366 x 768
Main Board		P50-53V
Open Cell		Innolux/ HKC/...
I/O Ports	Qty	
AV IN	1	RCA
AV Out	Yes	Mini 3.5mm
USB	2	Ver. 2.0
HDMI	2	Standard
VGA	1	Standard
PC A-IN	1	Mini 3.5mm
RF IN (Optional)	1	75 Ohms
Earphone Out	1	Mini 3.5mm
Game UI	Yes	-
Screen Size		60 cm
Contrast ratio		3,00,000:1
Brightness		> 250 nits
Viewing Angle		178°H/178°V
Response Time		8 ms
Main Board		3in1 Board
Sound O/p		8W+8W
Speaker		40*70 8E/12W
OSD Language		English
USB to USB copy		Supported
Video Input - TV		
Video System		PAL/SECAM
Sound System		BG, DK, MN, I
Storage Channel		99 +
Video Input - CVBS		
Color System		PAL, SECAM
Video		1Vp-p @75 Ohm
Audio		500mV RMS



SPECIFICATIONS

Model		PZTFHD-24N	
Video Input - PC-RGB			
Sync			H:30-75KHz, V:56-75Hz
Video			0.7Vp-p @ 75Ohm
Resolution			Up to 1920*1080@60Hz
Video Input - HDMI			
Video			Standard TDMS format
Resolution			480i, 480p, 576i, 576p, 720p, 1080i, 1080p
	.rm/.rmvb	RV8, RV9, RV10	COOK
Music	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resulation 1024*768
		Baseline JPEG	Max Resulation 15360*6400
	.bmp		Max Resulation 9600*6400
	.png	Non-Interlaced	Max Resulation 9600*6400
Interlaced		Max Resulation 1200*800	
Input Electrical Specifications			
Voltage		100~240V AC	
Current		1.5A max	
Frequency		47Hz ~ 63Hz	
Inrush Current (Cold Start)		70A type peak,230V ac	
Efficiency (full load)		80% (full load with 240Vac)	
Leakage Current		Less than 0.35mA, 240Vac input	
Standby Power Loss		< 0.5W 240Vac input and no load	
Input Fuse		T3.15AL/250Vac	
Output Electrical Specifications			
BLU		36V/350mA ± 5%	
Over Current	19V/12V	> 2.5A Hiccup	
Max Power Consumption		48W max (o/p)	
Net Weight		2.4Kgs (Approx.)	
Gross weight		3.5 kg (approx.)	
Net Dimension(mm)		560 x 335 x 80	
Gross Dimension(mm)		600 x 392 x 135	

