



PRIZOR VIZTECH LIMITED


PZTFHD-32N



32"

KEY FEATURES

- ◆ PRIZOR TV 32 INCH
- ◆ CONNECTIVITY: 2 HDMI & 1VGA AND 2 USB PORTS
- ◆ SOUND: 12 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ 1080P RESOLUTION SUPPORTED
- ◆ ATTRACTIVE PANNEL
- ◆ 32 INCH WITH 80 CM SCREEN



1800-123-3699



www.prizor.in



SPECIFICATIONS

Model	PZTFHD-32N	
Resolution	HD 1366*768	
Main Board	P50-53V	
Open Cell	Samsung /HKC/CHOT/AUO..	
I/O Ports	Qty	
AV IN	1	RCA
AV Out	Yes	Mini 3.5mm
USB	2	Ver 2.0
HDMI	2	Standard
VGA	1	15 Pin VGA
PC A-IN	1	Mini 3.5mm
RF IN	1	75 ohm
Earphone Out	1	Mini 3.5mm
Game UI	Yes	
Screen Size	80Cm	
Resolution	1366 x 768	
Brightness	> 280 nits	
Viewing Angle	178° (H) /178° (V)	
Response Time	20 ms	
Main Board	3in1 Board	
Sound O/p	2*8W, 8 Ohm	
Speaker	34*94 - 8E/10W Box SPK	
USB to USB Copy & Delete	Yes	
OSD Language	English	
Video Input - TV		
Video System	PAL/SECAM,	
Sound System	BG, DK, I	
Storage Channel	99+	
Video Input - CVBS		
Color System	PAL, NTSC, SECAM	
Video	1Vp-p ± 10%	
Audio	200mV RMS	
Video Input - PC-RGB		
Sync	H:30-75KHz, V:56-75Hz	
Video	0.7Vp-p @ 75Ohm	
Resolution	Up to 1920*1080@60Hz	





PRIZOR VIZTECH LIMITED

PZTFHD-32N

SPECIFICATIONS

Model		PZTFHD-32N	
Video Input - HDMI			
Video		Standard TDMS Format	
Resolution		480i, 480p, 576i, 576p, 720p,1080i, 1080p	
USB Multimedia Playback Format			
Media	File	Video	Audio
	.avi	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.264	
	.mp4	MPEG-2, MPEG-4, H.264	
	.ts/.tr	MPEG-2, H.264	
Movie	.dat	MPEG-1	MP2
	.vob	MPEG-2	
	.rm/.rmvb	RV8, RV9, RV10	COOK
Music	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resulation 1024*768
		Baseline JPEG	Max Resulation 15360*6400
	.bmp		Max Resulation 9600*6400
	.png	Non-Interlaced	Max Resulation 9600*6400
		Interlaced	Max Resulation 1200*800
Input Electrical Specifications			
Voltage		100 ~ 240V AC	
Current		1.8A (max)	
Frequency		50Hz/60Hz ±5%	
Inrush Current (Cold Start)		80A type peak,230V ac	
Efficiency (full load)		80% (full load with 230Vac)	
Leakage Current		Less than 0.35mA, 230Vac input	
Standby Power Loss		≤ 0.5W 240Vac input and no load	
Input Fuse		T3.15AL/250Vac	
Output Electrical Specifications			
BLU		45V/550mA	
12V		1.5A	
Max Power Consumption		48W max (o/p)	
Net Weight		4.31Kgs (Approx.)	
Gross weight		6.25 kg (approx.)	
Net Dimension(mm)		733 x 438 x 80	
Gross Dimension(mm)		795 x 510 x 138	

