



PRIZOR VIZTECH LIMITED

PZT4KQ-75GTV



75"

KEY FEATURES

- ◆ PRIZOR ANDROID SMART TV 75 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: ANDROID 11.0+
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 75 INCH 191 CM
- ◆ ROM-16 GB & RAM – 2 GB
- ◆ 4K RESOLUTION SUPPORTED

Google TV 7000+ APPS



1800-123-3699  www.prizor.in




SPECIFICATIONS

Model		PZT4KQ-75GTV
Resolution		UHD 3840*2160
Android Features		
Chipset		Realteck with GoogleTV 3.0ver
Solution (OS)		Android 11.0+
CPU		ARM Cortex-A55 Quad-Core /1.5GHz
GPU		G52 MP2 Dual-Core
ROM/eMMC		16GB
RAM/DDR		2GB
(Selected App) Google Play store support for TV		Yes
I/O Ports	Qty	
RF	Yes	75 ohms
AV IN	1	3.5mm jack
USB	2	V-2.0
HDMI	3	1.4 (1 with ARC function)
LAN	1	RJ-45
Wi-Fi (2T2R)	Yes	2.4 GHz & 5.8GHz
Optical out	Yes	-
Ear Phone/Audio out	1	Mini (3.5mm)
FEATURES		
Screen Size		191 Cm
Open Cell		BOE/LG..
BLU Power		270
Contrast Ratio(Dynaminc)		2,00,000:1
Brightness		> 350 nits
Viewing Angle		178° H/178° V
Response Time		8 ms
Main Board		2in1 Board + PS
Speaker		8E/12W Box SPK
Preload Apps		Yes
HDR 10 Support		Yes
Screen cast		Yes
Bluetooth(Ver. 5.1)		Yes
Google voice assistance function		Yes
Google user login for TV		Yes
Dolby		Yes (Dolby vision and ATMOS)
OSD Language		English



SPECIFICATIONS

Video Input - RF			
ColorSystem		PAL, SECAM	
Video		1Vp-p @75 Ohm +5%	
Audio		500mV RMS	
Video Input–CBVS			
Sync		H:30-75KHz, V:56-75Hz	
Video		0.7Vp-p @ 75Ohm	
Resolution		Up to 1920*1080@60Hz	
Video Input- HDMI			
Video		Standard TDMS format	
Resolution		480i, 480p, 576i, 576p, 720p,1080i,1080p	
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG	MP3, AAC, MP2, PCM
		MPEG-2, MPEG-4, H.264	
	.mp4	MPEG-2, MPEG-4, H.264	
	.ts/.tr	MPEG-2, H.264	
	.mkv/mov	MPEG-2, H.265	
	.mpg	MPEG-2, H.264	
	.dat	MPEG-1	MP2
	.vob	MPEG-2	
Music	.rm/.rmvb	RV8, RV9, RV10	COOK
	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resulation 1024*768
		Baseline JPEG	Max Resulation 15360*6400
	.bmp		Max Resulation 9600*6400
	.png	Non-Interlaced	Max Resulation 9600*6400
		Interlaced	Max Resulation 1200*800
Text	.txt	ANSI/UNICODE GB/UTF8	File Size : 1MB max





PRIZOR VIZTECH LIMITED

PZT4KQ-75GTV

SPECIFICATIONS

Input Electrical Specifications	
Voltage	100~240V AC
Current (AC)	<1.5A max
Frequency	50Hz/60Hz $\pm$ 5%
Inrush Current (Cold Start)	80A type peak, 230V ac
Efficiency (full load)	80% (full load with 230Vac)
Leakage Current	Less than 0.5mA, 230Vac input
Standby Power Loss	$\leq$ 0.5W 230Vac input and no load
Input Fuse	T5.5 AL/250Vac
Max Power Consumption	300W max
Weight & Size Specifications	
Net Weight	28.7Kgs (Approx.)
Gross weight	38.0 kg (approx.)
Net Dimension(mm)	1924 x 1104 x 117
Gross Dimension(mm)	1840x173x1095

